

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Frostox® HT12 DI

Product code : 10940

Unique Formula Identifier (UFI) : YJ90-C0EN-S00V-83TX

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Anti-freezing agents

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : HAERTOL Chemie GmbH  
Havelstr. 21  
39126 Magdeburg

Telephone : +49 391 2800 231

Telefax : +49 391 2800 280

E-mail address of person responsible for the SDS : info@haertol.de

#### 1.4 Emergency telephone number

+49 6132 / 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET


according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H302      Harmful if swallowed. H373      May cause damage to organs through prolonged or repeated exposure.
Precautionary statements	:	<b>Prevention:</b> P264      Wash skin thoroughly after handling. P270      Do not eat, drink or smoke when using this product. <b>Response:</b> P301 + P312 + P330      IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P314      Get medical advice/ attention if you feel unwell. <b>Disposal:</b> P501      Dispose of contents/ container to an approved waste disposal plant.

#### Hazardous components which must be listed on the label:

Ethylene glycol

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
---------------	-------------------	----------------	--------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

	Index-No. Registration number		
Ethylene glycol	107-21-1 203-473-3 603-027-00-1 01-2119456816-28	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney) <hr/> Acute toxicity estimate  Acute oral toxicity: 500 mg/kg	$\geq 90 - \leq 100$
Disodium sebacate	17265-14-4 241-300-3 01-2120762063-61	Eye Irrit. 2; H319	$\geq 1 - < 10$
Methyl-1H-benzotriazole	29385-43-1 249-596-6 01-2119979081-35	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Chronic 2; H411 <hr/> Acute toxicity estimate  Acute oral toxicity: 720 mg/kg	$\geq 0,1 - < 0,25$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.  
May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Gases

Storage class (TRGS 510) : 10

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylene glycol	107-21-1	TWA	20 ppm 52 mg/m <sup>3</sup>	2000/39/EC
		Further information: Identifies the possibility of significant uptake through the skin, Indicative		
		STEL	40 ppm 104 mg/m <sup>3</sup>	2000/39/EC
		Further information: Identifies the possibility of significant uptake through the skin, Indicative		
		AGW (Vapour and aerosols)	10 ppm 26 mg/m <sup>3</sup>	DE TRGS 900
		Peak-limit: excursion factor (category): 2;(I)		
		Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
		MAK	10 ppm 26 mg/m <sup>3</sup>	DE DFG MAK
		Peak-limit: excursion factor (category): 2; I		
		Further information: Danger of absorption through the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed		
2,2',2"-Nitrilotriethanol	102-71-6	AGW (Inhalable fraction)	1 mg/m <sup>3</sup>	DE TRGS 900
		Peak-limit: excursion factor (category): 1;(I)		
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
		MAK (inhalable)	1 mg/m <sup>3</sup>	DE DFG MAK

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

	fraction)	
	Peak-limit: excursion factor (category): 1; I	
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed	

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value	
Ethylene glycol	Workers	Inhalation	Long-term local effects	35 mg/m <sup>3</sup>	
	Workers	Skin contact	Long-term systemic effects	106 mg/kg bw/day	
	Consumers	Inhalation	Long-term local effects	7 mg/m <sup>3</sup>	
	Consumers	Skin contact	Long-term systemic effects	53 mg/kg bw/day	
Disodium sebacate	Workers	Inhalation	Long-term systemic effects	35,26 mg/m <sup>3</sup>	
	Workers	Dermal	Long-term systemic effects	10 mg/kg bw/day	
	Consumers	Inhalation	Long-term systemic effects	8,7 mg/m <sup>3</sup>	
	Consumers	Dermal	Long-term systemic effects	5 mg/kg bw/day	
	Consumers	Ingestion	Long-term systemic effects	5 mg/kg bw/day	
	2,2',2"-Nitrilotriethanol	Workers	Skin contact	Long-term systemic effects	6,3 mg/kg bw/day
		Workers	Inhalation	Long-term local effects	5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>	
	Consumers	Ingestion	Long-term systemic effects	13 mg/kg bw/day	
	Consumers	Skin contact	Long-term systemic effects	3,1 mg/m <sup>3</sup>	
	Consumers	Inhalation	Long-term local effects	1,25 mg/m <sup>3</sup>	
	Consumers	Inhalation	Long-term systemic effects	1,25 mg/m <sup>3</sup>	
Methyl-1H-benzotriazole	Workers	Inhalation	Long-term systemic effects	21,2 mg/m <sup>3</sup>	
	Workers	Skin contact	Long-term systemic effects	0,3 mg/kg bw/day	
	Consumers	Inhalation	Long-term systemic effects	350 µg/m <sup>3</sup>	
	Consumers	Skin contact	Long-term systemic effects	0,01 mg/kg bw/day	
	Consumers	Ingestion	Long-term systemic effects	0,01 mg/kg bw/day	

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

Substance name	Environmental Compartment	Value
Ethylene glycol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Intermittent use/release	10 mg/l
	Sewage treatment plant	199,5 mg/l
	Fresh water sediment	37 mg/kg
	Marine sediment	3,7 mg/kg
	Soil	1,53 mg/kg
Disodium sebacate	Fresh water	0,018 mg/l
	Intermittent use/release	0,18 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,548 mg/kg dry weight (d.w.)
	Marine sediment	0,055 mg/kg dry weight (d.w.)
2,2',2"-Nitrilotriethanol	Fresh water	0,32 mg/l
	Marine water	0,032 mg/l
	Intermittent use/release	5,12 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,7 mg/kg dry weight (d.w.)
Methyl-1H-benzotriazole	Fresh water	0,008 mg/l
	Freshwater - intermittent	0,086 mg/l
	Marine water	20 µg/l
	Marine water - intermittent	53 µg/l
	Sewage treatment plant	39,4 mg/l
	Fresh water sediment	0,117 mg/kg dry weight (d.w.)
	Marine sediment	0,292 mg/kg dry weight (d.w.)
	Soil	0,0187 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety glasses  
Equipment should conform to DIN EN 166

Hand protection

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to DIN EN 14387
Filter type	:	Combined particulates and organic vapour type (A-P)

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 170 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : > 110 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 8,4  
Concentration: 100 %

Viscosity  
Viscosity, kinematic : 20 - 30 mm<sup>2</sup>/s

Solubility(ies)  
Water solubility : in all proportions

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Density : 1,125 g/cm<sup>3</sup>

Relative vapour density : No data available

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

Evaporation rate : No data available

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 543,48 mg/kg  
Method: Calculation method

#### Components:

#### Ethylene glycol:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat): > 2,5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

---

Acute dermal toxicity : LD50 (Mouse): > 3.500 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Disodium sebacate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### Methyl-1H-benzotriazole:

Acute oral toxicity : LD50 (Rat): 720 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Ethylene glycol:

Species : Rabbit  
Result : No skin irritation

#### Disodium sebacate:

Species : Rabbit  
Result : No skin irritation

#### Methyl-1H-benzotriazole:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Ethylene glycol:

Species : Rabbit  
Result : No eye irritation

#### Disodium sebacate:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

---

Species : Bovine cornea  
Method : OECD Test Guideline 437

Species : Tissue Culture  
Method : EpiOcular

Result : Irritation to eyes, reversing within 21 days

### Methyl-1H-benzotriazole:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Ethylene glycol:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

#### Disodium sebacate:

Test Type : Intracutaneous test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

#### Methyl-1H-benzotriazole:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Ethylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

---

Genotoxicity in vivo : Result: negative  
Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative  
Test Type: Chromosome aberration test in vitro  
Result: negative  
Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Disodium sebacate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials  
Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials  
Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials  
Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Methyl-1H-benzotriazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

---

### II

#### **Carcinogenicity**

Not classified based on available information.

#### **Components:**

##### **Ethylene glycol:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

#### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **Disodium sebacate:**

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	--

##### **Methyl-1H-benzotriazole:**

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive
-------------------------------	---

Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.
------------------------------------	---

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

#### **Components:**

##### **Ethylene glycol:**

Exposure routes	: Ingestion
Target Organs	: Kidney
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version      Revision Date:      SDS Number:      Date of last issue: 18.06.2024  
2.0            04.07.2024            11261347-00004      Date of first issue: 24.08.2023

---

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **Ethylene glycol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 72.860 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 6.500 - 13.000 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 8.590 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (water flea)
--	---	--

##### **Disodium sebacate:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa (Calanoid copepod)): > 10 - 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: ISO 14669 and PARCOM method Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOELR (Skeletonema costatum (marine diatom)): > 1 - 10 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: ISO 10253 Remarks: Based on data from similar materials
		EL50 (Skeletonema costatum (marine diatom)): > 10 - 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: ISO 10253 Remarks: Based on data from similar materials

##### **Methyl-1H-benzotriazole:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 55 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Acartia tonsa (Calanoid copepod)): 55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Skeletonema costatum (marine diatom)): 30 mg/l Exposure time: 72 h  ErC50 (Skeletonema costatum (marine diatom)): 53 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10: > 0,1 - 1 mg/l Exposure time: 21 d Species: Daphnia galeata (water flea) Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

### 12.2 Persistence and degradability

#### Components:

##### **Ethylene glycol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 90 - 100 % Exposure time: 10 d Method: OECD Test Guideline 301A
------------------	---	---

##### **Disodium sebacate:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 89 % Exposure time: 28 d Method: OECD Test Guideline 306
------------------	---	--

##### **Methyl-1H-benzotriazole:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 4 % Exposure time: 28 d Method: Directive 67/548/EEC Annex V, C.4.D.
------------------	---	--

### 12.3 Bioaccumulative potential

#### Components:

##### **Ethylene glycol:**

Partition coefficient: n-octanol/water	:	log Pow: -1,36 Remarks: Calculation
--	---	--

##### **Disodium sebacate:**

Partition coefficient: n-	:	log Pow: -4,9
---------------------------	---	---------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

|| octanol/water

### **Methyl-1H-benzotriazole:**

|| Partition coefficient: n- : log Pow: 1,081  
octanol/water Method: OECD Test Guideline 117

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA** : Not regulated as a dangerous good

### 14.2 UN proper shipping name

**ADN** : Not regulated as a dangerous good

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA** : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADN** : Not regulated as a dangerous good

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA** : Not regulated as a dangerous good

### 14.4 Packing group

**ADN** : Not regulated as a dangerous good

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA (Cargo)** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, : Conditions of restriction for the following entries should be considered:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version 2.0      Revision Date: 04.07.2024      SDS Number: 11261347-00004      Date of last issue: 18.06.2024  
Date of first issue: 24.08.2023

---

|| mixtures and articles (Annex XVII)

Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

|| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:  
Not applicable  
5.2.2: Inorganic substances in powdered form:  
Not applicable  
5.2.4: Inorganic substances in gaseous form:  
Not applicable  
5.2.5: Organic Substances:  
Not applicable  
5.2.7.1.1: Carcinogenic substance:  
Not applicable  
5.2.7.1.1: Quartz fine dust PM4:  
Not applicable  
5.2.7.1.1: Formaldehyde:  
Not applicable  
5.2.7.1.1: fibres:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

Not applicable  
5.2.7.1.2: Germ cell mutagens:  
Not applicable  
5.2.7.1.3: Substances toxic to reproduction:  
Not applicable  
5.2.7.2: Poorly degradable, easily enrichable and highly toxic  
organic substances:  
Not applicable

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H302 : Harmful if swallowed.  
H319 : Causes serious eye irritation.  
H361d : Suspected of damaging the unborn child.  
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Irrit. : Eye irritation  
Repr. : Reproductive toxicity  
STOT RE : Specific target organ toxicity - repeated exposure  
2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values  
DE DFG MAK : Germany. MAK BAT Annex IIa  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
2000/39/EC / TWA : Limit Value - eight hours  
2000/39/EC / STEL : Short term exposure limit  
DE DFG MAK / MAK : MAK value  
DE TRGS 900 / AGW : Time Weighted Average

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4	H302
STOT RE 2	H373

### Classification procedure:

Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox® HT12 DI

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.0	04.07.2024	11261347-00004	Date of first issue: 24.08.2023

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN