

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Frostox® VP2

Product code : 27307

Unique Formula Identifier (UFI) : 5H80-904W-300X-A0U5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Radiator anti-freeze

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : HAERTOL Chemie GmbH  
Havelstr. 21  
39126 Magdeburg

Telephone : +49 391 2800 231

Telefax : +49 391 2800 280

E-mail address of person responsible for the SDS : info@haertol.de

#### 1.4 Emergency telephone number

+49 6132 / 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|   |  |
|---|--|
| Acute toxicity, Category 4                | H302: Harmful if swallowed.                                |
| Reproductive toxicity, Category 1B        | H360FD: May damage fertility. May damage the unborn child. |
| Specific target organ toxicity - repeated | H373: May cause damage to organs through pro-              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2



Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

exposure, Category 2

longed or repeated exposure.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

|                          |   |   |
|--------------------------|---|---|
| Hazard pictograms        | : |     |
| Signal word              | : | Danger  |
| Hazard statements        | : | H302 Harmful if swallowed.<br>H360FD May damage fertility. May damage the unborn child.<br>H373 May cause damage to organs through prolonged or repeated exposure.  |
| Precautionary statements | : | <b>Prevention:</b><br>P201 Obtain special instructions before use.<br>P270 Do not eat, drink or smoke when using this product.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.<br><b>Response:</b><br>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.<br>P308 + P313 IF exposed or concerned: Get medical advice/ attention.<br><b>Disposal:</b><br>P501 Dispose of contents/ container to an approved waste disposal plant. |

#### Hazardous components which must be listed on the label:

Ethylene glycol  
2-Ethylhexanoic acid  
Boric acid, disodium salt

#### Additional Labelling

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

| Chemical name             | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number     | Classification  | Concentration<br>(% w/w) |
|---------------------------|---|---|--------------------------|
| Ethylene glycol           | 107-21-1<br>203-473-3<br>603-027-00-1<br>01-2119456816-28 | Acute Tox. 4; H302<br>STOT RE 2; H373<br>(Kidney)<br><br>Acute toxicity estimate<br><br>Acute oral toxicity:<br>500 mg/kg | >= 90 - <= 100           |
| 2-Ethylhexanoic acid      | 149-57-5<br>205-743-6<br>607-230-00-6                     | Repr. 1B; H360D   | >= 1 - < 10              |
| Boric acid, disodium salt | 1330-43-4<br>215-540-4<br>005-011-00-4                    | Eye Irrit. 2; H319<br>Repr. 1B; H360FD  | >= 0,3 - < 1             |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.  
May damage fertility. May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

- Unsuitable extinguishing media : None known.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides

#### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local cir-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

ods cumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases
- Storage class (TRGS 510) : 6.1C
- Storage period : 60 Months
- Recommended storage temperature : > -25 °C

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components  | CAS-No.  | Value type (Form of exposure) | Control parameters             | Basis      |
|---|----------|-------------------------------|--------------------------------|------------|
| Ethylene glycol   | 107-21-1 | TWA                           | 20 ppm<br>52 mg/m <sup>3</sup> | 2000/39/EC |
| Further information: Identifies the possibility of significant uptake through the |          |                               |                                |            |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

|                           |           |   |                                   |             |
|---------------------------|-----------|---|-----------------------------------|-------------|
|                           |           | skin, Indicative  |                                   |             |
|                           |           | STEL  | 40 ppm<br>104 mg/m <sup>3</sup>   | 2000/39/EC  |
|                           |           | Further information: Identifies the possibility of significant uptake through the skin, Indicative  |                                   |             |
|                           |           | AGW (Vapour and aerosols)   | 10 ppm<br>26 mg/m <sup>3</sup>    | DE TRGS 900 |
|                           |           | Peak-limit: excursion factor (category): 2;(I)  |                                   |             |
|                           |           | Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                                   |             |
|                           |           | MAK   | 10 ppm<br>26 mg/m <sup>3</sup>    | DE DFG MAK  |
|                           |           | Peak-limit: excursion factor (category): 2; I   |                                   |             |
|                           |           | Further information: Danger of absorption through the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed    |                                   |             |
| Boric acid, disodium salt | 1330-43-4 | AGW (Inhalable fraction)  | 0,5 mg/m <sup>3</sup><br>(Borate) | DE TRGS 900 |
|                           |           | Peak-limit: excursion factor (category): 2;(I)  |                                   |             |
|                           |           | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child                  |                                   |             |
|                           |           | MAK (inhalable fraction)  | 0,75 mg/m <sup>3</sup><br>(Boron) | DE DFG MAK  |
|                           |           | Peak-limit: excursion factor (category): 1; I   |                                   |             |
|                           |           | Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed   |                                   |             |

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name            | End Use   | Exposure routes | Potential health effects   | Value                  |
|---------------------------|-----------|-----------------|----------------------------|------------------------|
| Ethylene glycol           | Workers   | Inhalation      | Long-term local effects    | 35 mg/m <sup>3</sup>   |
|                           | Workers   | Skin contact    | Long-term systemic effects | 106 mg/kg bw/day       |
|                           | Consumers | Inhalation      | Long-term local effects    | 7 mg/m <sup>3</sup>    |
|                           | Consumers | Skin contact    | Long-term systemic effects | 53 mg/kg bw/day        |
| 2-Ethylhexanoic acid      | Workers   | Inhalation      | Long-term systemic effects | 14 mg/m <sup>3</sup>   |
|                           | Workers   | Skin contact    | Long-term systemic effects | 2 mg/kg bw/day         |
|                           | Consumers | Inhalation      | Long-term systemic effects | 3,5 mg/m <sup>3</sup>  |
|                           | Consumers | Skin contact    | Long-term systemic effects | 1 mg/kg bw/day         |
| Boric acid, disodium salt | Consumers | Ingestion       | Long-term systemic effects | 1 mg/kg bw/day         |
|                           | Workers   | Inhalation      | Long-term systemic effects | 6,7 mg/m <sup>3</sup>  |
|                           | Workers   | Inhalation      | Long-term local ef-        | 11,7 mg/m <sup>3</sup> |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

|  |           |              | ffects                     |                    |
|--|-----------|--------------|----------------------------|--------------------|
|  | Workers   | Inhalation   | Acute local effects        | 17,7 mg/m3         |
|  | Workers   | Skin contact | Long-term systemic effects | 316,4 mg/kg bw/day |
|  | Consumers | Inhalation   | Long-term systemic effects | 3,4 mg/m3          |
|  | Consumers | Inhalation   | Long-term local effects    | 11,7 mg/m3         |
|  | Consumers | Inhalation   | Acute local effects        | 11,7 mg/m3         |
|  | Consumers | Skin contact | Long-term systemic effects | 159,5 mg/kg bw/day |
|  | Consumers | Ingestion    | Long-term systemic effects | 0,79 mg/kg bw/day  |
|  | Consumers | Ingestion    | Acute systemic effects     | 0,79 mg/kg bw/day  |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name            | Environmental Compartment | Value                          |
|---------------------------|---------------------------|--------------------------------|
| Ethylene glycol           | Fresh water               | 10 mg/l                        |
|                           | Marine water              | 1 mg/l                         |
|                           | Intermittent use/release  | 10 mg/l                        |
|                           | Sewage treatment plant    | 199,5 mg/l                     |
|                           | Fresh water sediment      | 37 mg/kg                       |
|                           | Marine sediment           | 3,7 mg/kg                      |
|                           | Soil                      | 1,53 mg/kg                     |
| 2-Ethylhexanoic acid      | Fresh water               | 0,36 mg/l                      |
|                           | Marine water              | 0,036 mg/l                     |
|                           | Intermittent use/release  | 0,493 mg/l                     |
|                           | Sewage treatment plant    | 71,7 mg/l                      |
|                           | Fresh water sediment      | 6,37 mg/kg                     |
|                           | Marine sediment           | 0,637 mg/kg                    |
|                           | Soil                      | 1,06 mg/kg                     |
| Sebacic acid              | Fresh water               | 0,018 mg/l                     |
|                           | Marine water              | 0,0018 mg/l                    |
|                           | Intermittent use/release  | 0,18 mg/l                      |
|                           | Sewage treatment plant    | 10 mg/l                        |
|                           | Fresh water sediment      | 0,547 mg/kg                    |
|                           | Marine sediment           | 0,0547 mg/kg                   |
|                           | Soil                      | 0,0986 mg/kg dry weight (d.w.) |
| Boric acid, disodium salt | Fresh water               | 2,9 mg/l                       |
|                           | Marine water              | 2,9 mg/l                       |
|                           | Intermittent use/release  | 13,7 mg/l                      |
|                           | Sewage treatment plant    | 10 mg/l                        |
|                           | Soil                      | 5,7 mg/kg                      |

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

- Eye/face protection : Wear the following personal protective equipment:  
Safety glasses  
Equipment should conform to DIN EN 166
- Hand protection
- Material : butyl-rubber  
Break through time : > 30 min  
Glove thickness : 0,7 mm  
Directive : Equipment should conform to DIN EN 374  
Protective index : Class 2
- Material : Nitrile rubber  
Break through time : > 30 min  
Glove thickness : 0,4 mm  
Directive : Equipment should conform to DIN EN 374  
Protective index : Class 2
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to DIN EN 14387
- Filter type : Combined particulates and organic vapour type (A-P)

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : liquid
- Colour : blue green
- Odour : characteristic
- Odour Threshold : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

Melting point/freezing point : No data available

Initial boiling point and boiling range : > 170 °C

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : > 110 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6,8 (20 °C)  
Concentration: 100 %

Viscosity  
Viscosity, kinematic : 20 - 30 mm<sup>2</sup>/s (20 °C)

Solubility(ies)  
Water solubility : completely miscible

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : ca. 0,2 hPa (20 °C)

Density : 1,125 g/cm<sup>3</sup> (20 °C)

Relative vapour density : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :  
Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

---

Acute oral toxicity : Acute toxicity estimate: 535,05 mg/kg  
Method: Calculation method

### Components:

#### **Ethylene glycol:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat): > 2,5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Mouse): > 3.500 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **2-Ethylhexanoic acid:**

Acute oral toxicity : LD50 (Rat): 2.043 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Boric acid, disodium salt:**

Acute oral toxicity : LD50 (Rat): > 2.500 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2,03 mg/l  
Exposure time: 5 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Ethylene glycol:**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

---

### 2-Ethylhexanoic acid:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Boric acid, disodium salt:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Ethylene glycol:

Species : Rabbit  
Result : No eye irritation

### 2-Ethylhexanoic acid:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### Boric acid, disodium salt:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 7 days  
Remarks : Based on data from similar materials

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Ethylene glycol:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### 2-Ethylhexanoic acid:

Test Type : Maximisation Test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

|                 |   |              |
|-----------------|---|--------------|
| Exposure routes | : | Skin contact |
| Species         | : | Guinea pig   |
| Result          | : | negative     |

### Boric acid, disodium salt:

|                 |   |                                      |
|-----------------|---|--------------------------------------|
| Test Type       | : | Buehler Test                         |
| Exposure routes | : | Skin contact                         |
| Species         | : | Guinea pig                           |
| Method          | : | OECD Test Guideline 406              |
| Result          | : | negative                             |
| Remarks         | : | Based on data from similar materials |

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Ethylene glycol:

|                       |   |  |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Method: OECD Test Guideline 471<br>Result: negative  |
|                       | : | Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)<br>Result: negative  |
|                       | : | Test Type: Chromosome aberration test in vitro<br>Result: negative   |
| Genotoxicity in vivo  | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: negative |

#### 2-Ethylhexanoic acid:

|                                    |   |   |
|------------------------------------|---|---|
| Genotoxicity in vitro              | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative  |
| Genotoxicity in vivo               | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Ingestion<br>Method: OECD Test Guideline 474<br>Result: negative |
| Germ cell mutagenicity- Assessment | : | Remarks: Based on data from similar materials   |

#### Boric acid, disodium salt:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

---

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Ethylene glycol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **Boric acid, disodium salt:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

May damage fertility. May damage the unborn child.

### **Components:**

#### **2-Ethylhexanoic acid:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the  
reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on  
animal experiments.  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

---

### **Boric acid, disodium salt:**

- |                                    |   |  |
|------------------------------------|---|--|
| Effects on fertility               | : | Test Type: Three-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Result: positive<br>Remarks: Based on data from similar materials                 |
| Effects on foetal development      | : | Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 414<br>Result: positive<br>Remarks: Based on data from similar materials |
| Reproductive toxicity - Assessment | : | Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.             |

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

### **Components:**

#### **Ethylene glycol:**

- |                 |   |  |
|-----------------|---|--|
| Exposure routes | : | Ingestion  |
| Target Organs   | : | Kidney   |
| Assessment      | : | Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw. |

### **Repeated dose toxicity**

#### **Components:**

#### **Ethylene glycol:**

- |                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| NOAEL             | : | 200 mg/kg               |
| Application Route | : | Ingestion               |
| Exposure time     | : | 33 Days                 |
| Species           | : | Dog                     |
| NOAEL             | : | 2.200 - 4.400 mg/kg     |
| Application Route | : | Skin contact            |
| Exposure time     | : | 4 Weeks                 |
| Method            | : | OECD Test Guideline 410 |

#### **2-Ethylhexanoic acid:**

- |         |   |           |
|---------|---|-----------|
| Species | : | Rat       |
| NOAEL   | : | 300 mg/kg |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

---

Application Route : Ingestion  
Exposure time : 91 - 93 Days

### Boric acid, disodium salt:

Species : Rat  
NOAEL : 149 mg/kg  
LOAEL : 217 mg/kg  
Application Route : Ingestion  
Exposure time : 9 Weeks  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### Ethylene glycol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 72.860 mg/l  
Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 6.500 - 13.000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 8.590 mg/l  
Exposure time: 7 d  
Species: Ceriodaphnia dubia (water flea)

##### 2-Ethylhexanoic acid:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

|  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 180 mg/l<br>Exposure time: 96 h                                    |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 106 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Desmodesmus subspicatus (green algae)): 49,3 mg/l<br>Exposure time: 72 h                                 |
| Toxicity to microorganisms   | : | EC50 (Pseudomonas putida): 112,1 mg/l<br>Exposure time: 17 h   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 25 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Method: OECD Test Guideline 211 |

### Boric acid, disodium salt:

|  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials   |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Ceriodaphnia dubia (water flea)): 91 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials  |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 52,4 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
|  |   | EC10 (Pseudokirchneriella subcapitata (green algae)): 35 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials   |
| Toxicity to microorganisms   | : | EC50 : > 10.000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209<br>Remarks: Based on data from similar materials   |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC: 6,4 mg/l<br>Exposure time: 34 d<br>Species: Danio rerio (zebra fish)<br>Method: OECD Test Guideline 210<br>Remarks: Based on data from similar materials             |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 6,4 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Remarks: Based on data from similar materials  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

Version 5.0      Revision Date: 04.07.2024      SDS Number: 4226688-00013      Date of last issue: 15.05.2024  
Date of first issue: 26.04.2019

---

II

### 12.2 Persistence and degradability

#### Components:

##### **Ethylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A

##### **2-Ethylhexanoic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 99 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

### 12.3 Bioaccumulative potential

#### Components:

##### **Ethylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1,36  
Remarks: Calculation

##### **2-Ethylhexanoic acid:**

Partition coefficient: n-octanol/water : log Pow: 2,7

##### **Boric acid, disodium salt:**

Partition coefficient: n-octanol/water : log Pow: -1,53

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- |                        |   |   |
|------------------------|---|---|
| Product                | : | Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.  |
- 

## SECTION 14: Transport information

### 14.1 UN number or ID number

- |      |   |                                   |
|------|---|-----------------------------------|
| ADN  | : | Not regulated as a dangerous good |
| ADR  | : | Not regulated as a dangerous good |
| RID  | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA | : | Not regulated as a dangerous good |

### 14.2 UN proper shipping name

- |      |   |                                   |
|------|---|-----------------------------------|
| ADN  | : | Not regulated as a dangerous good |
| ADR  | : | Not regulated as a dangerous good |
| RID  | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA | : | Not regulated as a dangerous good |

### 14.3 Transport hazard class(es)

- |      |   |                                   |
|------|---|-----------------------------------|
| ADN  | : | Not regulated as a dangerous good |
| ADR  | : | Not regulated as a dangerous good |
| RID  | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

**IATA** : Not regulated as a dangerous good

### 14.4 Packing group

**ADN** : Not regulated as a dangerous good

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA (Cargo)** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75, 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

If you intend to use this product as tattoo ink, please contact your vendor.

Boric acid, disodium salt (Number on list 30)  
2-Ethylhexanoic acid (Number on list 30)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Boric acid, disodium salt

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:  
Not applicable  
5.2.2: Inorganic substances in powdered form:  
Not applicable  
5.2.4: Inorganic substances in gaseous form:  
Not applicable  
5.2.5: Organic Substances:  
Class 1: 1,3 % 2-Ethylhexanoic acid  
5.2.7.1.1: Carcinogenic substance:  
Not applicable  
5.2.7.1.1: Quartz fine dust PM4:  
Not applicable  
5.2.7.1.1: Formaldehyde:  
Not applicable  
5.2.7.1.1: fibres:  
Not applicable  
5.2.7.1.2: Germ cell mutagens:  
Not applicable  
5.2.7.1.3: Substances toxic to reproduction:  
others: 2,1 % Boric acid, disodium salt, 2-Ethylhexanoic acid  
5.2.7.2: Poorly degradable, easily enrichable and highly toxic organic substances:  
Not applicable

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H302 : Harmful if swallowed.  
H319 : Causes serious eye irritation.  
H360D : May damage the unborn child.  
H360FD : May damage fertility. May damage the unborn child.  
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Eye Irrit. : Eye irritation  
Repr. : Reproductive toxicity  
STOT RE : Specific target organ toxicity - repeated exposure  
2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values  
DE DFG MAK : Germany. MAK BAT Annex IIa  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
2000/39/EC / TWA : Limit Value - eight hours  
2000/39/EC / STEL : Short term exposure limit  
DE DFG MAK / MAK : MAK value  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878

## Frostox®VP2

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 15.05.2024  |
| 5.0     | 04.07.2024     | 4226688-00013 | Date of first issue: 26.04.2019 |

---

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

|              |        |
|--------------|--------|
| Acute Tox. 4 | H302   |
| Repr. 1B     | H360FD |
| STOT RE 2    | H373   |

### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN